





Felt Polishing Wheels Data Sheet






Note		Regular size listed, Regular ID 10 mm, Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
100 × 6	4 × ¼"	A	<i>FWA10006S</i>	<i>FWA10006M</i>	<i>FWA10006H</i>	<i>FWA10006RH</i>
		B	<i>FWB10006S</i>	<i>FWB10006M</i>	<i>FWB10006H</i>	<i>FWB10006RH</i>
100 × 12	4 × ½"	A	<i>FWA10012S</i>	<i>FWA10012M</i>	<i>FWA10012H</i>	<i>FWA10012RH</i>
		B	<i>FWB10012S</i>	<i>FWB10012M</i>	<i>FWB10012H</i>	<i>FWB10012RH</i>
100 × 20	4 × ¾"	A	<i>FWA10020S</i>	<i>FWA10020M</i>	<i>FWA10020H</i>	<i>FWA10020RH</i>
		B	<i>FWB10020S</i>	<i>FWB10020M</i>	<i>FWB10020H</i>	<i>FWB10020RH</i>
100 × 25	4 × 1"	A	<i>FWA10025S</i>	<i>FWA10025M</i>	<i>FWA10025H</i>	<i>FWA10025RH</i>
		B	<i>FWB10025S</i>	<i>FWB10025M</i>	<i>FWB10025H</i>	<i>FWB10025RH</i>
100 × 30	4 × 1 ¼"	A	<i>FWA10030S</i>	<i>FWA10030M</i>	<i>FWA10030H</i>	<i>FWA10030RH</i>
		B	<i>FWB10030S</i>	<i>FWB10030M</i>	<i>FWB10030H</i>	<i>FWB10030RH</i>
100 × 38	4 × 1 ½"	A	<i>FWA10038S</i>	<i>FWA10038M</i>	<i>FWA10038H</i>	<i>FWA10038RH</i>
		B	<i>FWB10038S</i>	<i>FWB10038M</i>	<i>FWB10038H</i>	<i>FWB10038RH</i>
100 × 50	4 × 2"	A	<i>FWA10050S</i>	<i>FWA10050M</i>	<i>FWA10050H</i>	<i>FWA10050RH</i>
		B	<i>FWB10050S</i>	<i>FWB10050M</i>	<i>FWB10050H</i>	<i>FWB10050RH</i>

Felt Polishing Wheels Data Sheet





Note		Regular size listed, Regular ID 10 mm , Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
125 × 6	5 × ¼"	A	<i>FWA12506S</i>	<i>FWA12506M</i>	<i>FWA12506H</i>	<i>FWA12506RH</i>
		B	<i>FWB12506S</i>	<i>FWB12506M</i>	<i>FWB12506H</i>	<i>FWB12506RH</i>
125 × 12	5 × ½"	A	<i>FWA12512S</i>	<i>FWA12512M</i>	<i>FWA12512H</i>	<i>FWA12512RH</i>
		B	<i>FWB12512S</i>	<i>FWB12512M</i>	<i>FWB12512H</i>	<i>FWB12512RH</i>
125 × 20	5 × ¾"	A	<i>FWA12520S</i>	<i>FWA12520M</i>	<i>FWA12520H</i>	<i>FWA12520RH</i>
		B	<i>FWB12520S</i>	<i>FWB12520M</i>	<i>FWB12520H</i>	<i>FWB12520RH</i>
125 × 25	5 × 1"	A	<i>FWA12525S</i>	<i>FWA12525M</i>	<i>FWA12525H</i>	<i>FWA12525RH</i>
		B	<i>FWB12525S</i>	<i>FWB12525M</i>	<i>FWB12525H</i>	<i>FWB12525RH</i>
125 × 30	5 × 1 ¼"	A	<i>FWA12530S</i>	<i>FWA12530M</i>	<i>FWA12530H</i>	<i>FWA12530RH</i>
		B	<i>FWB12530S</i>	<i>FWB12530M</i>	<i>FWB12530H</i>	<i>FWB12530RH</i>
125 × 38	5 × 1 ½"	A	<i>FWA12538S</i>	<i>FWA12538M</i>	<i>FWA12538H</i>	<i>FWA12538RH</i>
		B	<i>FWB12538S</i>	<i>FWB12538M</i>	<i>FWB12538H</i>	<i>FWB12538RH</i>
125 × 50	5 × 2"	A	<i>FWA12550S</i>	<i>FWA12550M</i>	<i>FWA12550H</i>	<i>FWA12550RH</i>
		B	<i>FWB12550S</i>	<i>FWB12550M</i>	<i>FWB12550H</i>	<i>FWB12550RH</i>

Felt Polishing Wheels Data Sheet





Note		Regular size listed, Regular ID 10 mm , Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
150 × 6	6 × ¼"	A	<i>FWA15006S</i>	<i>FWA15006M</i>	<i>FWA15006H</i>	<i>FWA15006RH</i>
		B	<i>FWB15006S</i>	<i>FWB15006M</i>	<i>FWB15006H</i>	<i>FWB15006RH</i>
150 × 12	6 × ½"	A	<i>FWA15012S</i>	<i>FWA15012M</i>	<i>FWA15012H</i>	<i>FWA15012RH</i>
		B	<i>FWB15012S</i>	<i>FWB15012M</i>	<i>FWB15012H</i>	<i>FWB15012RH</i>
150 × 20	6 × ¾"	A	<i>FWA15020S</i>	<i>FWA15020M</i>	<i>FWA15020H</i>	<i>FWA15020RH</i>
		B	<i>FWB15020S</i>	<i>FWB15020M</i>	<i>FWB15020H</i>	<i>FWB15020RH</i>
150 × 25	6 × 1"	A	<i>FWA15025S</i>	<i>FWA15025M</i>	<i>FWA15025H</i>	<i>FWA15025RH</i>
		B	<i>FWB15025S</i>	<i>FWB15025M</i>	<i>FWB15025H</i>	<i>FWB15025RH</i>
150 × 30	6 × 1 ¼"	A	<i>FWA15030S</i>	<i>FWA15030M</i>	<i>FWA15030H</i>	<i>FWA15030RH</i>
		B	<i>FWB15030S</i>	<i>FWB15030M</i>	<i>FWB15030H</i>	<i>FWB15030RH</i>
150 × 38	6 × 1 ½"	A	<i>FWA15038S</i>	<i>FWA15038M</i>	<i>FWA15038H</i>	<i>FWA15038RH</i>
		B	<i>FWB15038S</i>	<i>FWB15038M</i>	<i>FWB15038H</i>	<i>FWB15038RH</i>
150 × 50	6 × 2"	A	<i>FWA15050S</i>	<i>FWA15050M</i>	<i>FWA15050H</i>	<i>FWA15050RH</i>
		B	<i>FWB15050S</i>	<i>FWB15050M</i>	<i>FWB15050H</i>	<i>FWB15050RH</i>

Felt Polishing Wheels Data Sheet





Note		Regular size listed, Regular ID 10 mm , Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
200 × 12	8 × ½"	A	<i>FWA20012S</i>	<i>FWA20012M</i>	<i>FWA20012H</i>	<i>FWA20012RH</i>
		B	<i>FWB20012S</i>	<i>FWB20012M</i>	<i>FWB20012H</i>	<i>FWB20012RH</i>
200 × 20	8 × ¾"	A	<i>FWA20020S</i>	<i>FWA20020M</i>	<i>FWA20020H</i>	<i>FWA20020RH</i>
		B	<i>FWB20020S</i>	<i>FWB20020M</i>	<i>FWB20020H</i>	<i>FWB20020RH</i>
200 × 25	8 × 1"	A	<i>FWA20025S</i>	<i>FWA20025M</i>	<i>FWA20025H</i>	<i>FWA20025RH</i>
		B	<i>FWB20025S</i>	<i>FWB20025M</i>	<i>FWB20025H</i>	<i>FWB20025RH</i>
200 × 30	8 × 1 ¼"	A	<i>FWA20030S</i>	<i>FWA20030M</i>	<i>FWA20030H</i>	<i>FWA20030RH</i>
		B	<i>FWB20030S</i>	<i>FWB20030M</i>	<i>FWB20030H</i>	<i>FWB20030RH</i>
200 × 38	8 × 1 ½"	A	<i>FWA20038S</i>	<i>FWA20038M</i>	<i>FWA20038H</i>	<i>FWA20038RH</i>
		B	<i>FWB20038S</i>	<i>FWB20038M</i>	<i>FWB20038H</i>	<i>FWB20038RH</i>
200 × 50	8 × 2"	A	<i>FWA20050S</i>	<i>FWA20050M</i>	<i>FWA20050H</i>	<i>FWA20050RH</i>
		B	<i>FWB20050S</i>	<i>FWB20050M</i>	<i>FWB20050H</i>	<i>FWB20050RH</i>

Felt Polishing Wheels Data Sheet





Note		Regular size listed, Regular ID 10 mm , Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
250 × 12	10 × ½"	A	<i>FWA25012S</i>	<i>FWA25012M</i>	<i>FWA25012H</i>	<i>FWA25012RH</i>
		B	<i>FWB25012S</i>	<i>FWB25012M</i>	<i>FWB25012H</i>	<i>FWB25012RH</i>
250 × 20	10 × ¾"	A	<i>FWA25020S</i>	<i>FWA25020M</i>	<i>FWA25020H</i>	<i>FWA25020RH</i>
		B	<i>FWB25020S</i>	<i>FWB25020M</i>	<i>FWB25020H</i>	<i>FWB25020RH</i>
250 × 25	10 × 1"	A	<i>FWA25025S</i>	<i>FWA25025M</i>	<i>FWA25025H</i>	<i>FWA25025RH</i>
		B	<i>FWB25025S</i>	<i>FWB25025M</i>	<i>FWB25025H</i>	<i>FWB25025RH</i>
250 × 30	10 × 1 ¼"	A	<i>FWA25030S</i>	<i>FWA25030M</i>	<i>FWA25030H</i>	<i>FWA25030RH</i>
		B	<i>FWB25030S</i>	<i>FWB25030M</i>	<i>FWB25030H</i>	<i>FWB25030RH</i>
250 × 38	10 × 1 ½"	A	<i>FWA25038S</i>	<i>FWA25038M</i>	<i>FWA25038H</i>	<i>FWA25038RH</i>
		B	<i>FWB25038S</i>	<i>FWB25038M</i>	<i>FWB25038H</i>	<i>FWB25038RH</i>
250 × 50	10 × 2"	A	<i>FWA25050S</i>	<i>FWA25050M</i>	<i>FWA25050H</i>	<i>FWA25050RH</i>
		B	<i>FWB25050S</i>	<i>FWB25050M</i>	<i>FWB25050H</i>	<i>FWB25050RH</i>

Felt Polishing Wheels Data Sheet





Note		Regular size listed, Regular ID 10 mm , Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
300 × 12	12 × ½"	A	<i>FWA30012S</i>	<i>FWA30012M</i>	<i>FWA30012H</i>	<i>FWA30012RH</i>
		B	<i>FWB30012S</i>	<i>FWB30012M</i>	<i>FWB30012H</i>	<i>FWB30012RH</i>
300 × 20	12 × ¾"	A	<i>FWA30020S</i>	<i>FWA30020M</i>	<i>FWA30020H</i>	<i>FWA30020RH</i>
		B	<i>FWB30020S</i>	<i>FWB30020M</i>	<i>FWB30020H</i>	<i>FWB30020RH</i>
300 × 25	12 × 1"	A	<i>FWA30025S</i>	<i>FWA30025M</i>	<i>FWA30025H</i>	<i>FWA30025RH</i>
		B	<i>FWB30025S</i>	<i>FWB30025M</i>	<i>FWB30025H</i>	<i>FWB30025RH</i>
300 × 30	12 × 1 ¼"	A	<i>FWA30030S</i>	<i>FWA30030M</i>	<i>FWA30030H</i>	<i>FWA30030RH</i>
		B	<i>FWB30030S</i>	<i>FWB30030M</i>	<i>FWB30030H</i>	<i>FWB30030RH</i>
300 × 38	12 × 1 ½"	A	<i>FWA30038S</i>	<i>FWA30038M</i>	<i>FWA30038H</i>	<i>FWA30038RH</i>
		B	<i>FWB30038S</i>	<i>FWB30038M</i>	<i>FWB30038H</i>	<i>FWB30038RH</i>
300 × 50	12 × 2"	A	<i>FWA30050S</i>	<i>FWA30050M</i>	<i>FWA30050H</i>	<i>FWA30050RH</i>
		B	<i>FWB30050S</i>	<i>FWB30050M</i>	<i>FWB30050H</i>	<i>FWB30050RH</i>

Felt Polishing Wheels Data Sheet





Note		Regular size listed, Regular ID 10 mm , Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
350 × 25	14 × 1"	A	<i>FWA35025S</i>	<i>FWA35025M</i>	<i>FWA35025H</i>	<i>FWA35025RH</i>
		B	<i>FWB35025S</i>	<i>FWB35025M</i>	<i>FWB35025H</i>	<i>FWB35025RH</i>
350 × 30	14 × 1 ¼"	A	<i>FWA35030S</i>	<i>FWA35030M</i>	<i>FWA35030H</i>	<i>FWA35030RH</i>
		B	<i>FWB35030S</i>	<i>FWB35030M</i>	<i>FWB35030H</i>	<i>FWB35030RH</i>
350 × 38	14 × 1 ½"	A	<i>FWA35038S</i>	<i>FWA35038M</i>	<i>FWA35038H</i>	<i>FWA35038RH</i>
		B	<i>FWB35038S</i>	<i>FWB35038M</i>	<i>FWB35038H</i>	<i>FWB35038RH</i>
350 × 50	14 × 2"	A	<i>FWA35050S</i>	<i>FWA35050M</i>	<i>FWA35050H</i>	<i>FWA35050RH</i>
		B	<i>FWB35050S</i>	<i>FWB35050M</i>	<i>FWB35050H</i>	<i>FWB35050RH</i>

Felt Polishing Wheels Data Sheet



Note		Regular size listed, Regular ID 10 mm , Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
400 × 25	16 × 1"	A	<i>FWA40025S</i>	<i>FWA40025M</i>	<i>FWA40025H</i>	<i>FWA40025RH</i>
		B	<i>FWB40025S</i>	<i>FWB40025M</i>	<i>FWB40025H</i>	<i>FWB40025RH</i>
400 × 30	16 × 1 ¼"	A	<i>FWA40030S</i>	<i>FWA40030M</i>	<i>FWA40030H</i>	<i>FWA40030RH</i>
		B	<i>FWB40030S</i>	<i>FWB40030M</i>	<i>FWB40030H</i>	<i>FWB40030RH</i>
400 × 38	16 × 1 ½"	A	<i>FWA40038S</i>	<i>FWA40038M</i>	<i>FWA40038H</i>	<i>FWA40038RH</i>
		B	<i>FWB40038S</i>	<i>FWB40038M</i>	<i>FWB40038H</i>	<i>FWB40038RH</i>
400 × 50	16 × 2"	A	<i>FWA40050S</i>	<i>FWA40050M</i>	<i>FWA40050H</i>	<i>FWA40050RH</i>
		B	<i>FWB40050S</i>	<i>FWB40050M</i>	<i>FWB40050H</i>	<i>FWB40050RH</i>

Felt Polishing Wheels Data Sheet



Note		Regular size listed, Regular ID 10 mm , Customized service acceptable				
Size (D * T)		Quality (A & B)	Soft (0.40 g/cm ³)	Medium (0.45 g/cm ³)	Hard (0.50 g/cm ³)	Rock Hard (0.60 g/cm ³)
mm	inches	A > B	Item Code	Item Code	Item Code	Item Code
450 × 25	18 × 1"	A	<i>FWA45025S</i>	<i>FWA45025M</i>	<i>FWA45025H</i>	<i>FWA45025RH</i>
		B	<i>FWB45025S</i>	<i>FWB45025M</i>	<i>FWB45025H</i>	<i>FWB45025RH</i>
450 × 30	18 × 1 ¼"	A	<i>FWA45030S</i>	<i>FWA45030M</i>	<i>FWA45030H</i>	<i>FWA45030RH</i>
		B	<i>FWB45030S</i>	<i>FWB45030M</i>	<i>FWB45030H</i>	<i>FWB45030RH</i>
450 × 38	18 × 1 ½"	A	<i>FWA45038S</i>	<i>FWA45038M</i>	<i>FWA45038H</i>	<i>FWA45038RH</i>
		B	<i>FWB45038S</i>	<i>FWB45038M</i>	<i>FWB45038H</i>	<i>FWB45038RH</i>
450 × 50	18 × 2"	A	<i>FWA45050S</i>	<i>FWA45050M</i>	<i>FWA45050H</i>	<i>FWA45050RH</i>
		B	<i>FWB45050S</i>	<i>FWB45050M</i>	<i>FWB45050H</i>	<i>FWB45050RH</i>